

COMPLAINT BEFORE THE HON'BLE NATIONAL HUMAN RIGHTS COMMISSION
(NHRC), NEW DELHI

(Under Section 12 of the Protection of Human Rights Act, 1993)

23 September, 2026

New Delhi

To

The Hon'ble Member,

National Human Rights Commission (NHRC),
Manav Adhikar Bhawan, Block-C, GPO Complex, INA,
New Delhi – 110023.

COMPLAINANT / PETITIONER DETAILS:

Name: **Vinod Hindustani@ D.VINODKUMAR, Advocate**

Address: D7- D BLOCK, INDIRA ENCLAVE, NEB SARAI, NEW DELHI, 110068

Contact No: 8985926993

Email ID: hindustaniadalat@gmail.com

AGAINST:

1. The Chief Secretary, Government of Telangana, Hyderabad.
2. The Principal Secretary, Health, Medical & Family Welfare Department, Government of Telangana.
3. The Director of Medical Education (DME), Government of Telangana.

SUBJECT:

Complaint seeking urgent intervention and systemic directions regarding gross violations of the Right to Life (Article 21) across Government Hospitals in

Telangana—encompassing fatal electrical fires in neonatal wards, dilapidated building ceilings collapsing, rodent and stray dog menace biting patients, severe shortage of beds/staff, and patients being treated on bare floors.

MOST RESPECTFULLY SHOWETH:

1. Gross Negligence and Violation of Fundamental Rights:

The Complainant brings to the urgent notice of this Hon'ble Commission the deplorable and inhumane conditions prevailing across various tertiary and secondary government hospitals in the State of Telangana. The recurring incidents demonstrate institutional apathy, criminal administrative negligence, and an egregious violation of the **Right to Life and Health guaranteed under Article 21 of the Constitution of India**.

2. Fatal Electrical and Fire Hazards in Neonatal Care (SNCU/NICU):

Recently, at RIMS Government General Hospital, Adilabad, a horrific fire caused by a short-circuit and poor maintenance of outdated air conditioning units broke out in the Special Newborn Care Unit (SNCU). This preventable tragedy resulted in the tragic deaths of five innocent newborn infants and severe distress to over 27 babies undergoing treatment. Similarly, in premier hospitals like MGM Hospital, Warangal, the SNCUs are dangerously overcrowded, with multiple infants crammed into single radiant warmers amidst exposed electrical switchboards, unserviced ACs, and lack of emergency evacuation exits.

3. Dilapidated Infrastructure and Collapsing Ceilings:

Across several state-run hospitals, hospital buildings are in severe disrepair. In numerous wards, plaster and heavy concrete chunks from ceilings frequently collapse onto patients, newborn mothers, and attendants, resulting in severe physical injuries. Despite recurrent media exposure, periodic structural audits and urgent civil maintenance remain largely unaddressed.

4. Rodent and Stray Animal Menace:

In a horrifying collapse of sanitation and security protocols, government hospital ICUs and general wards have turned into breeding grounds for rodents and stray animals. There have been recorded, horrifying incidents where patients (including comatose and paralyzed patients in respiratory ICUs) have been bitten and mauled by rats, as well as stray dogs roaming freely inside wards. This depicts a complete collapse of infection

control and basic hygiene standards.

5. Acute Shortage of Beds, Staff & Treatment on Bare Floors:

Due to an acute shortage of basic infrastructure, pregnant women, emergency cases, and elderly patients are frequently compelled to undergo treatment and receive IV fluids while lying on cold, unhygienic hospital floors. There exists an acute, chronic deficit of doctors, duty nurses, technical staff, and certified electricians (e.g., as few as 3 electricians managing an entire 750-bed teaching hospital).

PRAYER / RELIEF SOUGHT:


In light of the aforesaid facts and human rights violations, the Complainant most respectfully prays that this Hon'ble Commission may be pleased to:

1. **Take Cognizance:** Issue immediate notice to the Chief Secretary and Principal Secretary (Health), Government of Telangana, calling for an independent, time-bound Action Taken Report (ATR) regarding the deaths of infants and structural failures across state hospitals.
2. **Comprehensive Safety Audit:** Direct the State Government to immediately conduct an independent Third-Party Electrical, Structural, and Fire Safety Audit across all Government Medical College Hospitals, District Hospitals, and Area Hospitals in Telangana.
3. **Mandate Infrastructure & Sanitation Protocols:** Direct the concerned authorities to eradicate the rodent and stray animal menace, repair crumbling ceilings, and ensure adequate beds and sanitation to stop the inhumane practice of treating patients on floors.
4. **Adequate Technical Staffing:** Direct the government to sanction and recruit required biomedical engineers, electrical staff, and nursing personnel on a priority basis to ensure critical life-support systems (radiant warmers, incubators, oxygen lines, AC units) are maintained systematically.
5. **Compensation to Affected Families:** Direct the State Government to award exemplary interim compensation to the aggrieved families of the deceased infants and affected patients.
6. Pass any other order(s) or direction(s) that this Hon'ble Commission may deem fit in the interest of justice and public welfare.

VERIFICATION:

I, the undersigned Complainant, do hereby verify that the contents stated above are true and correct to the best of my knowledge, belief, and public domain facts.

Yours Sincerely,

A handwritten signature in blue ink, appearing to read "Vinod Hindustani", enclosed within a rectangular border.

VINOD HINDUSTANI

3 infants die, RIMS infra exposed

AC units explode at SNCU following suspected electric short circuit; two newborns critical, 19 rescued

Overuse and poor maintenance of AC machines suspected to have triggered the explosion

Probe initiated, says Health Minister; promises action against those responsible

STATE BUREAU
ADILABAD

In what could be termed the first major tragedy in a government-run hospital in recent history, three newborns died, while two others were hospitalised and 19 infants were rescued after inhaling toxic gases following the explosion of air-conditioning units at a special newborn care unit (SNCU) of Rajiv Gandhi Institute of Medical Sciences (RIMS)-Adilabad late on Monday night. The explosion is believed to have been caused by an electric short circuit.

District Medical and Health Officer Dr P Sadhana confirmed that the five-day-old baby of Sabha Khan from Ichoda, 15-day-old baby of Sheku Bai from Indervelli and 20-day-old infant of Sabha Samreen of Utnoor died after the AC explosions that occurred by 12 am reportedly due to overuse and poor maintenance.

While Sabha's baby died on the spot at 12.30 am, Sheku Bai's baby died during treatment at 4.30 am and another died while being shifted to a hospital in Nizamabad at 6.15 am. All were preterm baby girls and weighed less than 1.5 kg. The condition of two other infants was said to be critical.

Twenty-three infants were being treated in incubators at the SNCU when the incident took place. The



A view of SNCU where the incident occurred at RIMS in Adilabad Monday midnight.

cries of distressed parents reverberated through the institute in the early hours.

While duty doctors and nurses reportedly fled the SNCU, doors were automatically locked after the explosion. A new mother managed to raise an alarm, following which security guards and drivers of private ambulance vehicles and attendants of patients mustered courage and rescued the infants. Their intervention is believed to have helped prevent further casualties.

Meanwhile, Health Minister Damodara Rajanarasimha visited RIMS and said an inquiry had been initiated into the incident.

BRS seeks Rs 25 lakh ex gratia for victims' families

STATE BUREAU
Hyderabad

BRS working president KT Rama Rao on Tuesday expressed shock over the death of three infants in a fire caused by an alleged short circuit at the Special Newborn Care Unit (SNCU) of RIMS in Adilabad. He sought best medical care and treatment for 23 other children injured in the incident. He also demanded Rs 25 lakh ex gratia for each family that lost an infant in the incident.

He prayed for the well-being of all the affected newborns.

In a statement, Rama Rao stated that the accident exposed the Congress government's failure to maintain government hospitals and ensure adequate supervision of critical wards. He said BRS leaders had repeatedly alerted the government about the conditions at RIMS, but no corrective action was taken.

He held Chief Minister A Revanth Reddy responsible for the incident.

MGM roof collapses again



A portion of the roof plaster that collapsed at the Mahatma Gandhi Memorial Hospital in Warangal on Tuesday.

STATE BUREAU
Warangal

Yet another incident of roof collapse occurred at Mahatma Gandhi Memorial (MGM) Hospital in Warangal on Tuesday, and no one was injured in the incident.

The incident occurred a day after Health Secretary Dr Christina Z Chongthu and Director of Medical Education Dr N Vani visited the hospital on Monday to take stock of the situation after the concrete slabs from the roof collapsed at Arogyasri ward of the hospital last Sunday. Three patients, two sanitation workers and a few others were injured in that incident.

The latest incident took place at the RICU and physiotherapy departments, where a portion of the roof plaster collapsed. A potential tragedy was averted as no one was present in the area during the incident.

Patients and their relatives expressed concern over the building's safety. They wanted officials to undertake repairs immediately. Meanwhile, tension prevailed for some time at the MGMH as police obstructed former Warangal (West) MLA D Vinay Bhaskar and BRS activists, who arrived at the hospital to speak to the authorities after learning about the incident.

VINAY BHASKAR HURT, ALLEGES POLICE EXCESS

WARANGAL: Police excess was clearly visible during former BRS MLA Dasyam Vinay Bhaskar's visit to MGM Hospital on Tuesday, as he was allegedly pushed and shoved by police who tried to prevent him from entering the hospital. The former MLA, along with a few BRS activists, arrived at a portion of the roof falling in the RICU and physiotherapy departments. He was stopped at Gate No. 4 near the mortuary, even as he questioned the police about why he was being prevented from visiting patients and enquiring about their issues. A scuffle broke out between BRS cadres and the police as Vinay Bhaskar tried to proceed to the hospital. A police officer was seen grabbing the shirt collar of the former MLA.

(SEE PAGE 2)

KTR DEMANDS PROBE INTO 'ASSAULT'

HYDERABAD: BRS working president KT Rama Rao condemned the alleged police attack on former MLA Dasyam Vinay Bhaskar at MGM Hospital in Warangal on Tuesday. Holding the government responsible for the incident, he demanded a comprehensive probe and strict action against the police personnel responsible.

(SEE PAGE 2)

Rats gnaw at body of accident victim

DC CORRESPONDENT

WARANGAL, SEPT. 20

A dead body kept at the mortuary of the Wardhannapet Government Area Hospital was allegedly gnawed by rats, triggering protests by relatives and local representatives over sanitation and maintenance at the facility.

Gare Veeraiah from Warangal district died in a road accident on Saturday. His body was shifted to the hospital on Saturday night for the inquest and post-mortem. When his family members arrived on Sunday morning, they reportedly noticed bite marks on the body, particularly around the eyes.

■ Pg 4: Locals demand freezer, sanitation

MGM Hosp. ceiling peels off, 5 injured

NARLAGIRI YADAGIRI | DC

WARANGAL, SEPT. 20

MGM Hospital in Warangal witnessed another incident of its ceiling peeling and falling off on Sunday, this time in the Aarogyasri ward where several patients had been undergoing treatment. Three patients and two attendants have been injured. The injured include Mastan of Uppugallu in Zaffergadh mandal of Jangaon district, besides attendants Ellamma and Omkar. Mastan is undergoing treatment for paralysis. Doctors are treating those injured.

In 2022, a patient admitted for a lung ailment died after being bitten. In June and July last year, plaster had fallen from the ceiling in the hospital.



రిమ్మలో ఏసీలో మంటలు ఆర్పుతున్న సిబ్బంది

ముగ్గురే ఎలక్ట్రిషియన్లు

● రిమ్మలో ఆసుపత్రి మొత్తానికి ముగ్గురు ఎలక్ట్రిషియన్లు మాత్రమే ఉన్నారు. వీరిని కూడా పొరుగు సేవల ఏజెన్సీల నిర్వాహకులు తరచూ ఇతర పనులకు వినియోగించుకోవడంతో విద్యుత్తు వ్యవస్థ అస్తవ్యస్తంగా తయారైంది.



విద్యుత్తు స్పిన్ బోర్డు పరిస్థితి ఇలా..

రాయం ఏర్పడుతోంది. ● వార్డుల్లో విద్యుత్తు వైరింగ్ అస్తవ్యస్తంగా ఉంది. పరిశీలించే సిబ్బంది సరిపడా లేరు. ● స్పెషల్ నియోనేటల్ కేర్ యూనిట్(ఎన్ఎన్సీయూ)లో ఏసీలో మంటలు వచ్చి పేలిపోవడంతోనే ప్రమాదం జరిగినట్లు వెల్లడవుతోంది. ● ఏసీల వినియోగంలో వాడకం, లోడ్కు అనుగుణంగా వాటిని చల్లబర్చటానికి అంతర్గతంగా కూలింగ్ చేసేలా గ్యాస్ ఉంటుంది. ఇందులో హెచ్చుతగ్గులు తలెత్తకుండా ఎప్పుడోకప్పుడు వాటి మరమ్మత్తులు చేయటంలో పాటు వాటి బాగోగులు చూసుకోవాల్సి ఉంది. కానీ రిమ్మలో అలా జరగడం లేదు. ● ఏసీల మరమ్మత్తులు సకాలంలో చేయకపోవడంతోనే కంప్రెషర్ పై ఆధికలోడ్ ఏర్పడి పేలటానికి కారణమై ఉండవచ్చనే అభిప్రాయం వ్యక్తమవుతోంది. ● విద్యుత్తు షార్ట్ సర్క్యూట్ జరిగితే ఎంసీబీలో స్విచ్ ట్రిప్ కావాలి. లేక వైరింగ్ కాలిపోవాలి. ఈ రెండు జరగకుండా ఏసీలో మంటలు చెలరేగడంతో వాటి నిర్వహణ సరిగా లేదని వెల్లడవుతోంది.

ఈటీవీ-ఆదిలాబాద్, న్యూస్టుడే

ఆదిలాబాద్ వైద్యవిభాగం

రిమ్మలో విద్యుత్తు వ్యవస్థ నిర్వహణలో నిర్లక్ష్యం నిష్పై ఎగిరింది. షార్ట్ సర్క్యూట్ అని చెబుతున్నప్పటికీ,

ఏసీలకు మరమ్మత్తులు కరవై అగ్ని ప్రమాదానికి దారి తీసిందని తెలుస్తోంది. ఇంక్యబేటర్లలో చికిత్స పొందుతున్న 27 మంది చిన్నారులు గాయపడటంతో ఆ కుటుంబాలు అందోళనకు గురయ్యాయి. కనులు

తెరిచిన కొద్ది రోజులకే ముగ్గురు శిశువులు అంతలోనే కానరాని లోకాలకు వెళ్లడం తీరని విషాదం సంపించి. దీనుతటికీ రిమ్మ ఆసుపత్రిలో పర్యవేక్షణ లోపం, అస్తవ్యస్తమైన విధానాలు కారణాలుగా నిలుస్తున్నాయి.

నిర్లక్ష్యం నిష్పై.. ప్రాణాలకు ముప్పు

● రిమ్మలో అగ్నిప్రమాదంతో తీరని విషాదం

అధికారులు, ప్రజాప్రతినిధుల పట్టించుకోనితనం రిమ్మకు శాపంగా పరిణమిస్తోంది. ఈ ఆసుపత్రి 750 పడకలతో సేవలు అందిస్తోంది. సగటున రోజుకు రెండువేల మంది ఓపీ వస్తారు. 350 మంది వైద్యులకు 150 మంది కూడా లేరు. వార్డుల్లో కనీస పనులు కరవై రోగులు నానా ఇబ్బందులు పడుతున్నారు.

ప్రధానంగా విద్యుత్తు సరఫరా, ఏసీల నిర్వహణ గాలిలో దీపంలా తయారైంది. కనీసం మూడు నెలలకోసారైనా పరిశీలించాలనే నిబంధనలు అమలు కావటం లేదు.

అన్నింటికీ ఒక్కరే

రిమ్మలో అన్ని విభాగాలను ఒక్కరే చూడటం తలకు మించిన భారమే. డైరెక్టర్, సూపరింటెండెంట్, డిప్యూటీ సూపరింటెండెంట్లు, ఆర్ఎంవోలకు బాధ్యతల వికేంద్రీకరణ జరగడం లేదు. అన్నీ ఒక్కరే చూస్తుండటంతో పొరుగు సేవల ఏజెన్సీల నిర్వాహకులు చెప్పినట్లే పనులు జరుగుతున్నాయే తప్పితే రోగుల బాగోగులకు ప్రాధాన్యం ఇవ్వడం లేదనే విమర్శలున్నాయి.

మళ్ళీ నీ కడుపునే పుడతా.. అమ్మా..

నవమూసాలు నీ వెచ్చని కడుపులో దాచుకున్నావమ్మా.. లోకంలోకి రాగానే నీకు సంతోషం లేకుండా చేసినావమ్మా.. ఇంక్యబేటరులో నీ చల్లని స్పర్శకు దూరమైతిని.. నను కన్న నీ కలలు నెరవేర్చాలని ఆశతో ఎదురుచూశా.. కొద్ది రోజుల్లోనే చలాకీగా వచ్చి నీలో సంతోషం నింపుదామనుకున్నా.. అనుకోకుండా ఏసీలో మంటలు వచ్చి నేను ఎక్కడున్నానో తెలియలేదమ్మా.. ఊపిరి ఉక్కిరిబిక్కిరి అవుతుంటే ఎవరో వచ్చి తీసుకెళ్తుంటే.. అది నీ స్వర్గ కాదని తెలిసిందమ్మా.. అంతలోనే మరో ఆసుపత్రికి తీసుకెళ్లే బతుకుతాననే ఆశ కలిగిందమ్మా.. ముక్కు నుంచి వెళ్లిన పాగ కడుపుంతా చేరడంతో.. చివరికి ఊపిరి ఆగిందమ్మా.. చలాకీగా వస్తాననుకుంటే చలనం లేకుండా మారిపోయా.. నీ చేతిలో వడేసరికి నాకు స్పర్శ లేకుండా అయ్యిందమ్మా.. నీ బంగారు కలలు నెరవేర్చకుండానే లోకం విడిచి వెళ్లిపోతున్నా.. తొమ్మిది నెలలు మోసినా నీకు రోజుల ఆనందం కూడా లేకుండా చేశా.. మళ్ళీ నీ కడుపునే పుట్టి నీ కలలు నెరవేరుస్తానమ్మా..

(రిమ్మ అగ్ని ప్రమాదంలో మృతి చెందిన ముగ్గురు శిశువుల ఆవేదనకు ఆక్షరరూపం)



రిమ్మను పరిశీలిస్తున్న మంత్రి దామోదర రాజనర్సింహ

నిర్వహణ లోపాలపై విచారణ: మంత్రి

రిమ్మలో నిర్వహణ, భద్రతాలోపాలపై విచారణ చేయిస్తామని మంత్రి దామోదర రాజనర్సింహ అన్నారు. మంగళవారం ఆయన రిమ్మలో ప్రమాదం జరిగిన ప్రాంతాన్ని పరిశీలించారు. మౌలిక వసతులతోపాటు భద్రతను మరింత పటిష్ఠం చేస్తామని ఆయన వివరించారు. ఆయన వెంట ఎమ్మెల్యే పాయల్ శంకర్, వైద్యారోగ్య శాఖ కార్యదర్శి క్రిష్టినా జడ్ చాంగ్లా, కలెక్టర్ రాజర్షిషా, ఎస్సీ అఖిల్ మహాజన్, రిమ్మ డైరెక్టర్ రాలోడ్ జైసింగ్ ఉన్నారు.

రిమ్మలో అర్ధరాత్రి హాహాకారాలు 8లో



ఎంజీఎంలోని నవజాత శిశు చికిత్స కేంద్రం

చిన్నారులు భద్రమేనా?

● రిమ్స్ ఘటన నేపథ్యంలో
ఎంజీఎంలో పరిస్థితిపై దృష్టి

గతంలో జరిగిన ఘటన..

గదిని శుభ్రం చేసే రసాయనాన్ని నీటిలో కలిపి వాడతారు. గతంలో ఈ విభాగంలో రసాయన మిశ్రమాన్ని కలపడంలో సిబ్బంది విఫలమయ్యారు. దీంతో రసాయనం ప్రభావం పిల్లలు, సిబ్బందిపై పడింది. రసాయనం నీటిని నేలపై వేసి శుభ్రం చేస్తుండగా.. ఒక్కసారిగా కళ్లలో మంటలు, గాలి పీల్చలేని పరిస్థితి ఏర్పడింది. క్షణాల్లో సమస్యను తెలుసుకున్న అప్పటి సిబ్బంది గదిలోని కిటికీ అడ్డాలను పగులగొట్టి గాలి ఆడే విధంగా చేశారు. ఈ ఘటన అప్పట్లో చర్చనీయాంశమైంది.

ఇరుకుగా విభాగం...: వివిధ ప్రభుత్వ ప్రైవేటు ఆసుపత్రుల్లో జన్మించిన శిశువులకు చికిత్స అవసరమైన వారిని ఎంజీఎం ఎస్ఎన్ఎస్యూ విభాగంలో చేర్చుతారు. పెద్ద హాలును రెండుగా విడదీశారు. ఒకవైపు ప్రభుత్వ ఆసుపత్రుల్లో జన్మించిన వారిని, మరో వైపు ప్రైవేట్ ఆసుపత్రుల్లో జన్మించిన వారిని చేర్చి చికిత్స అందిస్తున్నారు. కాస్త ఆరోగ్యం మెరుగుపడిన వారిని అదే హాలులో ఏర్పాటు చేసిన మరో గదిలోకి మార్చుతారు. ఈ విభాగం పూర్తి కిక్కిరిసినట్లు ఉంటుంది. హాలులో ఇద్దరు వ్యక్తులు ఒకేసారి సులువుగా నడవలేని పరిస్థితి ఉంది. ఈ విభాగం మొత్తం ఏసీలు ఉన్నాయి.



చేతికి లిందే ఎత్తులో
విద్యుత్తు బోర్డులు

వైద్యుల కొరత..

నిరంతరం వైద్యుల పర్యవేక్షణలో ఉండే కీలకమైన ఈ విభాగంలో వైద్యుల కొరతను తీర్చాల్సి ఉంది. అవసరమైన రేడియంట్ వార్మర్లు, పొటోథెరపీ యూనిట్లు, ఇంక్యబేటర్లు తదితర పరికరాలు కొత్తగా ఏర్పాటు చేయాల్సి ఉంది. ఏదైనా ప్రమాదం జరిగితే ఇరుకైన హాల్నుంచి వెళ్లే ఒకే మార్గం ఉంది. అలా కాకుండా ప్రత్యామ్నాయ ఏర్పాట్లు అవసరం. త్వరలో కొత్త ఆసుపత్రిలోకి ఎంజీఎం మారుతుందని అధికారులు చెబుతున్నారు. కొత్త ఆసుపత్రిలోనైనా సరైన సౌకర్యాలు, విశాలమైన గదులు ఉండేలా చూడాలి.

ఎంజీఎం ఆసుపత్రి, న్యూస్ టుడే: ఆదిలాబాద్ రిమ్స్లోని పిల్లల వార్డులో సోమవారం రాత్రి షార్ప్ సర్జరీ జరిగి ముగ్గురు చిన్నారులు మృతిచెందారు. ఈ నేపథ్యంలో వరంగల్ ఎంజీఎం ఆసుపత్రిలోని ప్రత్యేక నవజాత శిశు చికిత్స కేంద్రం(ఎస్ఎన్ఎస్యూ) భద్రతపై అధికారులు దృష్టిసారిం చాల్సి ఉంది. నిత్యం రోగులతో రద్దీగా ఉండే ఎస్ఎన్ఎస్యూలో ఏదైనా ప్రమాదం సంభవిస్తే సత్వర చర్యలు తీసుకునేలా ఏర్పాట్లు చేయాల్సిన అవసరం ఉంది.

మైన వారిని ఎంజీఎం ఎస్ఎన్ఎస్యూ విభాగంలో చేర్చుతారు. పెద్ద హాలును రెండుగా విడదీశారు. ఒకవైపు ప్రభుత్వ ఆసుపత్రుల్లో జన్మించిన వారిని, మరో వైపు ప్రైవేట్ ఆసుపత్రుల్లో జన్మించిన వారిని చేర్చి చికిత్స అందిస్తున్నారు. కాస్త ఆరోగ్యం మెరుగుపడిన వారిని అదే హాలులో ఏర్పాటు చేసిన మరో గదిలోకి మార్చుతారు. ఈ విభాగం పూర్తి కిక్కిరిసినట్లు ఉంటుంది. హాలులో ఇద్దరు వ్యక్తులు ఒకేసారి సులువుగా నడవలేని పరిస్థితి ఉంది. ఈ విభాగం మొత్తం ఏసీలు ఉన్నాయి. ఇందులోని రేడియంట్ వార్మర్లు, ఇంక్యబేటర్లు వంటి పరికరాలు నడవటానికి ఏసీలు అవసరం. కానీ శిశువుల రద్దీకి తగ్గట్టు రేడియంట్ వార్మర్లు, ఇంక్యబేటర్లు తదితర పరికరాలు లేవు. దీంతో ఒక్కో రేడియంట్ వార్మర్లో ఇద్దరు, ముగ్గురు శిశువులకు చికిత్స అందించాల్సి వస్తోంది.